

Protection de votre véhicule par biométrie
Fonction alarme
ISO9002



www.techdigitale.com

Protection de votre véhicule par biométrie
Fonction alarme
ISO9002

Biometric Fingerprint Car Security System with Alarm Function



www.techdigitale.com

*Protection de votre véhicule par biométrie
Fonction alarme*

ISO9002

Biometric Fingerprint Car Security System with Alarm Function



www.techdigitale.com

Protection de votre véhicule par biométrie
Fonction alarme
ISO9002

Anti- démarrage par empreinte digitale, vous pouvez programmer jusque 9 empreintes.
Une télécommande est fournie pour la désactivation de l'alarme et du système anti-démarrage.



www.techdigitale.com

Protection de votre véhicule par biométrie
Fonction alarme
ISO9002

Manufacturer Specifications

- Main Function: Secures your car using fingerprint technology, Anti-theft system
- Case Material: ABS flame-resistant material
- Basic Functions:
 - Fingerprint save/scan/delete (can store 9 fingerprints)
 - Temporary security disable for allowing car use by non-registered users
- Fingerprint error rate: FAR <0.001%
- Fingerprint FRR: FRR <1%
- Fingerprint capacity: 9
- Fingerprint identification speed: < 1s (full fingerprint identification)
- Fingerprint collector anti-static ability: ESD < 15KV (air) > 7.5KV (contact)
- Fingerprint Scanner Life: 1,000,000 Swipes
- Peripheral speed of response: < 2s
- Dry and wet fingers automatic adaptation
- Recognition rate: more than 99.5%
- False identification rate: less than one in a million
- Working Voltage: Directs current 10V - 15V



Biometric Fingerprint Car Security System with Alarm Function

Protection de votre véhicule par biométrie
Fonction alarme
ISO9002

- Working Current (Standby): <10 mA
- Working Current (Active State): <0.4 A
- Maximum Relay Capacity: >40A
- Maximum Working Power: <5W
- Normal Working Temperature: - 40 to +85 Degrees Celsius/li>
- Primary Parts / Functions:
System Controller Box - Acts as system mainframe
Wired Remote Controller
Finger Swipe Module - Unlock fingerprint ignition lock
- Input Voltage: 12V
- Dimensions:
 - Mainframe - L:83 x W:105 x D:30 (mm)
 - Speaker - L:42 x W:60 x D:15 - Cable Length= 150 (mm)
 - Remote Controller - L:75 x W:40 x D:10 (mm)
 - VGA + Mini USB Cable Length = 150 (mm)
 - Wires Harnes Length - 130 (mm)
 - Wire Harnes Length - 120 (mm)
- Quality Assurance: ISO9002

Biometric Fingerprint Car Security System with Alarm Function



Protection de votre véhicule par biométrie
Fonction alarme
ISO9002

Product Notes

- Advanced biometric finger print scan
- eBay Reseller Note: Here is are some examples of alternate product titles you can use for this product;
 - Biometric Car Security Alarm
 - Fingerprint ID Car Alarm System
 - Fingerprint Identification Car Lock Alarm System
 - Biometric Fingerprint Car Security and Alarm System
- Allows you deactivate the fingerprint scanner, encase you wish to lend your car to a freind or family member

Pour tous types de véhicules !

www.techdigitale.com

*Protection de votre véhicule par biométrie
Fonction alarme
ISO9002*

Votre colis contient :

- Fingerprint car security system
- User guide - English
- Connecting wire sets for main frame and car installation
- Remote Controller
- Alarm sensitivity device
- Fingerprint scanner



CVOF-BG11



Biometric Fingerprint Car Security System with Alarm Function

www.techdigitale.com

Techdigitale.com spécialisé dans la vente de matériel de *vidéo surveillance* et d'*espionnage* -
62640 Montigny en Gohelle - Répondeur / Fax : 09 72 12 85 47