

CAMERA DE VIDEO SURVEILLANCE SONY

Digital Pixel system® (DPS)

Waterproof et anti vandalisme pour une utilisation extérieure, infrarouge 35 LEDS pour une vision nocturne exceptionnelle de 50 mètres.540 lignes Px.

Utilise la dernière technologie CCD de Sony pour reproduire une image à haute résolution sans grande distorsion. La caméra a une large plage de température de travail et n'est pas sujette à la distorsion provenant d'un champ magnétique.



1/3" Sony CCD, 540TVL,

4-9/6-15mm lens, 3-axis bras inclus
Haute résolution – Rendement image optimal !

www.techdigitale.com

**Specifications:**

Model	UV-WDR233
Imaging System	1/3 Pixim Orca, Digital Pixel System® (DPS)
Effective Pixels	720(H) X 540(V)
Pixel Size	7 μm x 7 μm
Resolution	540 Horizontal TV Lines(HTVL) Equivalent
Video Standard	PAL / NTSC Compatible (Selectable by Menu)
Dynamic Range	102dB typical, 120dB Maximum
White Balance	ATW/AWB/MANUAL
Min. Illumination	Color:0.8Lux(F1.2,50 IRE); Slow Shutter: 0.08Lux,0Lux(IR on)
AGC	Low/Medium/High/Custom
DNR	Built-in, ON or OFF selectable
True Day/Night	Color
Gamma	Auto/Manual
Auto Iris Function	DC driver
Configuration	On Screen Display(OSD) menu
Camera Title	Maximum 18 characters
S/N Ratio	More than 50dB
Video Output	1.0Vp-p Composite Video Output, 75 Ohm
Power Requirement	DC12V
Lens	4-9mm/6-15mm DC ICR M12 Lens optional
IR distance	40~50m
Sync. Mode	Internal
Operating Temp.	-10 to 50

Super Wide Dynamic Camera

Features:

1. 1/3"WDR digital image sensor, and innovative 32-bit Digital Signal Processor
2. WDR: 102dB typical,120dB maximum
3. Superior Color Rendering
4. High Resolution up to 540TVL
5. No Vertical Smear
6. Digital Noise Reduction (DNR)
7. High Image Compression
8. Auto ICR
9. On Screen Display and Camera Title



Votre solution surveillance !

AMRI WORLD TRADING – 62640 Montigny en Gohelle France

TECHDIGITALE©