

GPS TRACKER POUR MOTO

- **Géo localisez** et gérer votre moto, quad ou scooter depuis votre GSM !
- **Arrêt du moteur** à distance par SMS
- **Activation/Désactivation** à distance par SMS
- **Surveillance** par balise GPS (mouvement, déplacement ...)
- **Position géographique** de votre 2 roues en temps réel... à distance par SMS, vous recevez un lien vers une cartographie Google Maps.



Envoi d'un SMS automatique sur votre téléphone portable en cas d'effraction (chocs).

(2) Arrêt du moteur par commande SMS / Neutralisation

(4) SOS Bouton Panique

(5) Deux type de localisation possible : par GPS ou par GPRS

(6) Localisation de la moto par SMS

(7) Une alerte SMS peut être envoyée si le véhicule dépasse une certaine vitesse programmée, ou qu'il sort d'une zone géographique prédéfinie par l'utilisateur. Mode surveillance GPS

(8) Alertes batterie faible, défaillance

Amri World Trading

Tel/Répondeur / Télécopie : **09 72 12 85 47**

GPS TRACKER POUR MOTO

Utilisation : Vous insérez une carte SIM à l'intérieur de votre Tracker, Vous paramétrer vos 3 numéros "Administrateur" par SMS.

Facile de paramétrage et d'utilisation

Specification

GSM module	MTK program, GSM 900/1800/850/1900 dual-band or quad-band Support the TCP protocol
GPS Chipset	SIRF-Star III chipset
GPS sensitivity	-159dB
C/A Code	1.023MHz chip rate
Channels	20 channel all-in-view tracking
GPS frequency	L1,1575.42MHz
GPS Position Accuracy	10 meters, 2D RMS
GSM Position Accuracy	Later will realize
Velocity Accuracy	0.1m/s
Time Accuracy	Synchronized to GPS time
Default datum	WGS-84
Hot start	1sec.,average
Warm start	38sec.,average
Altitude Limit	18,000 meters (60,000feet) max.
Velocity Limit	515 meters/second (1000knots) max.
Acceleration Limit	Less than 4g

GPS TRACKER POUR MOTO

2.4 Others

Operating temperature	-20°C65°C
Humidity	5%To 95% Non-condensing
Dimension	88mm×46mm×18mm
Voltage	12V
Average Current When stand-by	<84mA
LED	Green/ Blue/ Red LED showing GPSGSM and power status
Out set SOS Key	One SOS emergency key: for urgent call



GPS TRACKER POUR MOTO

Features:

1. Build-in GPS Vehicles locator
2. Support 4-frequency GSM 900/1800 MHz. . Works worldwide!
3. High sensitivity, new technology and latest GPS chipset!
4. Excellent for fixing the position even at a weak signal status.
5. Work well even in areas with limited sky view like urban canyons.
6. Very Low power consumption
7. Fast Signal Acquisition
8. Support single location and continuous tracking
9. Support alarm
10. support quick dialing buttons for 3 preset phone number
11. Support check location by SMS and Internet
12. Locate the locator holder by the mobile phone via SMS
13. SOS button send out exact location for immediate rescue/action.
14. Lead leads to a total of 5 lines, were red: +12 V power supply blue: GND between yellow line and blue line connect external SOS button green: the line of control cutoff oil, output cutoff oil signal for DC2.8V, the maximum current for 2mA. Please refer to detailed wiring behind.

