

PACK VIDEO SURVEILLANCE SUPER HAD

4 Cameras HAD SONY CCTV / 1 DVR Numérique professionnel

Infrarouge – Antivandalisme – Waterproof



www.techdigitale.com

PACK VIDEO SURVEILLANCE SUPER HAD

4 Cameras HAD SONY CCTV / 1 DVR Numérique professionnel 4CH

Infrarouge – Antivandalisme - Waterproof



Système de vidéo surveillance idéal pour les particuliers et professionnels ayant un petit budget pour une installation simple, efficace et très économique. Il dispose de plusieurs options : visualisation et enregistrement de 4 cameras simultanément, sauvegardes des vidéos importantes, cameras infrarouges haute définition, waterproof pour une utilisation extérieure, antivandalisme.

Ce pack de **vidéo surveillance** les habitations, entrepôts, bureaux...

Facile et simple d'utilisation, sans aucune installation électrique. L'enregistreur numérique se branche comme un lecteur DVD. Le pack est prêt à fonctionner.

www.techdigitale.com

PACK VIDEO SURVEILLANCE SUPER HAD

4 Cameras HAD SONY CCTV / 1 DVR Numérique professionnel 4CH

Infrarouge – Antivandalisme - Waterproof

Spécifications techniques – **Cameras SONY CCTV**

- Color Dome CCTV Security Video Camera
 - 1/3 Inch SONY CCD Imaging Device
 - Sony Super HAD technology: Brighter, Sharper!
 - Day or Night Use
 - Indoor or Outdoor
 - Vandalproof
 - Weatherproof
-
- Main Function: All Purpose, All Weather Dome Security Camera
 - Image Device: 1/3 Inch Color SONY Super HAD CCD
 - Effective Picture Elements: 500 x 582
 - Horizontal Resolution: 420 TV Lines
 - Recommended Range For Objects: Night (5m), Day (15m)
 - Minimum Illumination: 0.1 Lux



PACK VIDEO SURVEILLANCE SUPER HAD

4 Cameras HAD SONY CCTV / 1 DVR Numérique professionnel 4CH

Infrarouge – Antivandalisme - Waterproof

- Gamma: 0.45
- Lens Mount: Fixed
- AGC: Auto
- Synchronous System: Internal
- Scan frequency: 50Hz
- S/N Ratio: >48dB
- Operation Angle:
 - Tilt: 10-90 degrees
 - Pan: 0-355 degrees
- Video Output: Composite Video
- Video Connection: BNC
- Power Adapter: 12V
- TV system: PAL
- Operation Temperature: -10 deg C - +50 deg C
- Dimensions (of dome): 90 mm (height), 114 mm (diameter of base)
- Certifications: CE, FCC, ROHS

**Built in
Varifocal LENS**



PACK VIDEO SURVEILLANCE SUPER HAD

4 Cameras HAD SONY CCTV / 1 DVR Numérique professionnel 4CH

Infrarouge – Antivandalisme - Waterproof

Product Notes

- Super HAD is a Sony trademarked technology found in most new surveillance cameras. It allows for double light sensitivity and better picture clarity over traditional CCD image devices.



PACK VIDEO SURVEILLANCE SUPER HAD

4 Cameras HAD SONY CCTV / 1 DVR Numérique professionnel 4CH

Infrarouge – Antivandalisme - Waterproof

DVR NUMERIQUE 4CH

SPECIFICATIONS DVR enregistreur PAL numérique 4 canaux (4 cameras) avec écran LCD.
Matériel professionnel.

Disque dur interne avec connexion usb sur votre ordinateur possible.

- 1.5 Inch TFT LCD Screen
- Recording Format: MPEG -AVI
- Recording Quality: Low, Normal, High
- Default Frame Rate Settings:
PAL: 25 Frames per Second
- Recording Frame Rates: Frames per Second -25, 15, 10, 7, 5, 4, 3, 2, 1
- Inputs:
 - 4 Channel BNC (RCA with Small Adaptors) Video Camera Input
 - 4 Motion Sensor/ Trigger Inputs



www.techdigitale.com

PACK VIDEO SURVEILLANCE SUPER HAD

4 Cameras HAD SONY CCTV / 1 DVR Numérique professionnel 4CH

Infrarouge – Antivandalisme - Waterproof



Accessories:

- Manual
- Power Adaptor
- 3 X RCA cables (2 male connectors at each end)
- Software CD
- 10 X BNC to RCA (female) Adaptors

Outputs:

- 4 Channel Camera Loop Back
- 1 Alarm Output
- 2 BNC (RCA with Small Adaptors) Monitor Outputs
- S-Video Output
- USB Output for PC link

▪ Minimum System Requirements:

- CPU: 1GHz
- RAM: 256MB
- Video Card Memory: 32MB
- Operating System: Windows 2000, Windows XP

▪ Power Source: 12 V DC

- Dimension: 290x220x52mm (LxWxH)

- Local PC monitoring and backup via USB- no need to take out the hard disk

- Password Protection- video captures will be safe from accidental erasure/ tampering

- Tough Stackable Casing

- Internal Alarm When Video Signal Lost

- Power Failure Protection, Automatic Restart