

Détecteur de micro espion, camera et Gps traceur

www.techdigitale.com

SCANNER - DETECTEUR DE DISPOSITIF D'ESPIONNAGE
Audio et Vidéo GPS TRACKER – 25 mètres

Scanner professionnel, structure en
métal, garantie 3 ans

Sensibilité : 1 MHZ-8000 MHZ

Dimensions avec antenne : 280mm x 65mm x 25mm

Dimensions sans antenne : 125mm x 65mm x 25mm

Simple d'utilisation, pas de paramétrage, allumez votre scanner et balayez la zone à inspecter, un bip sonore et l'augmentation du voyant lumineux vous indiqueront la présence d'émission d'ondes, une pile batterie 9V fournie.



www.techdigitale.com

Détecte tous dispositifs émettant des ondes, Audio, vidéo et GPS Tracker

Capte jusque 30 mètres en basse sensibilité

1 Products introduction

TECHDIGITALE wireless detector of wiretap is the small wide band wireless detecting equipment, latest studied by army secrecy technology and security institution .

It is many used in detecting the working wireless wiretap in objective place , except for seeking and locating accurately, but also the most advanced portable wireless detecting device .

Alarming with sound and optic, operating simply,taking conveniently (cells size).The body is made by high-intensity and high quality anti-jamming alloy,with black appearance, fine-Grinding profiling ,good feeling.

The detector would not send any electromagnetic, interfere any wiring, and affect mans health .

It detecting equipment, using wide-band simulation to check, detecting the signal intension sent by wiretap.

With high sensitivity and covering about 100 meters.

The detector has went thought army appraisal and got the third technical progress prize, also been authenticated by the army information and security products assessing center.



Detecting the wireless wiretap in car, office, conference, room, dressing room, bathroom, hotel, recreation ground, military establishment or government and so on.

Checking whether existing electromagnetic in working place or accommodation

Detecting home appliances aging or not (such as microwave oven),leaking or not.

1 | function

Detecting the wireless signal sent by wireless detectaphone or tracker in objective place, and checking if existing strong electromagnetic in working place or housing.

2 | major characteristic

High sensitivity, scope adjustable

A large range of detecting frequency

Alarming with sound or optic, simple operation, convenient using , accurate and security.

A good compatibility of electromagnetic.

Small volume, easy taking.

3 | technical indexes

Scope of detecting frequency: 1MHZ-

8000MHZ Main frequency channel: 25MHZ-

6000MHZ Detecting sensitivity : $\leq 0.05\text{mw}$

Detecting dynamic range : 70Db

Indicate mode: 9 levels LED luminescence

indication/voicing instruction

Power: 9V laminated battery

Volume: 120*62*22mm

